

AMENDMENTS TO THE CLAIMS

1. (Previously Amended) A telecommunication system comprising:

a mobile terminal having a display capable of displaying graphical information in a first format, a receiver for receiving first data comprising the graphical information in the first format and second data comprising graphical information in a second format, a means for splitting the first data and the second data, and a transmitter for transmitting the second data; and

a display device having a display capable of displaying the graphical information in the second format and a receiver for receiving the second data comprising the graphical information in the second format.

2. (Previously Amended) The system of claim 1, wherein a communication link between the transmitter for transmitting second data in said mobile terminal and the receiver for receiving the second data in said display device is a wireless short range communication link.

3. (Previously Cancelled)

4. (Previously Cancelled)

5. (Previously Amended) The system of claim 2, wherein the wireless short range communication link is a Bluetooth link.

6. (Previously Amended) The system of claim 2, wherein the transmitter for transmitting the second data comprises a Bluetooth chip installed in said mobile terminal.

7. (Amended) The system of claim 2, wherein the receiver for receiving the second data in said display device comprises a Bluetooth chip installed in said display device.

8. (Previously Amended) The system of claim 1, wherein said display device further comprises:

means for informing said mobile terminal of a display capability of the display device.

9. (Previously Amended) The system of claim 1, further comprising:

a cellular telephone network for transmitting the first data and second data to said mobile terminal.

10. (Previously Cancelled)

11. (Previously Amended) The system of claim 9, wherein the cellular telephone network comprises:

means for transmitting additional data to said mobile terminal with the first data and the second data, wherein the transmitted additional data is for use by said mobile terminal.

12. (Previously Amended) The system of claim 9, wherein the cellular telephone network comprises:

means for transmitting data packets to said mobile terminal;

wherein the means for splitting the first data and the second data splits up the incoming data packets so that the first data may be used at said mobile terminal, and the second data may be transmitted to said display device.

13. (Previously Cancelled)

14. (Previously Amended) The system of claim 1, wherein the display of the mobile terminal is not capable of displaying the graphical information in the second format.

25. (Previously Amended) The system of claim 1 wherein said mobile terminal further comprises:

a memory for storing at least a part of the received first data and second data.

26. The system of claim 1, wherein :

the graphical information in a first format comprises at least one of text and at least one image; and

the graphical information in a second format comprises at least one of video, at least one picture, at least one map, and at least one graphical illustration.

27. (Previously Amended) The system of claim 2, wherein the second data is transmitted to the display device in a formatted packet, wherein the formatted packet comprises:

an access code specific to said mobile terminal;

a header comprising communication link control information; and

a payload comprising the second data.

28. (Amended) A method of displaying graphical information on a mobile terminal and an external display device, comprising the steps of:

receiving combined data from a telecommunication network at said mobile terminal, wherein the combined data includes first data comprising graphical information in a first format and second data comprising graphical information in a second format

splitting the first and second data by the mobile terminal;

assembling the second data into a transmission format that can be transmitted to said external display device;

transmitting the assembled second data from said mobile terminal to said external display device via a short range communication link;

receiving the assembled second data at said external display device;

displaying the graphical information in the first format on a display of said mobile terminal using the split first data, and

displaying the graphical information of the second format on a display of said external display device using the assembled second data.

29. (Previously Amended) The method of claim 28, further comprising the previous step of:

transmitting the combined data over the telecommunication network using a wireless transmission method comprising one of GSM, EDGE, WCDMA, DVB, DAB and a Bluetooth link.

30. (Previously Cancelled)

31. (Previously Amended) The method of claim 28, wherein said mobile terminal and the telecommunication network are compliant with the Wireless Application Protocol (WAP) standard.

32. (Previously Amended) The method of claim 28, wherein a communication link between the mobile terminal and the external display device is a wireless short range communication. link.

33. (Previously Amended) The method of claim 32, wherein said wireless short range communication link is a Bluetooth link.

34. (Previously Amended) The method of claim 28, wherein said display device is a television receiver.

35. (Previously Presented) A mobile terminal comprising:

a display capable of displaying graphical information in a first format;

a receiver for receiving first data comprising graphical information in the first format
and second data comprising graphical information in a second format;

a means for splitting the first data and the second data; and

a transmitter for transmitting the second data to an external display device.

36. (Amended) The mobile terminal of claim 365, wherein said mobile terminal is a
cellular telephone.
